

875 South Dobson Road, Chandler, Arizona 85224 Tel: (480) 855-2039 Fax: (480) 855-2049 2730 S. Val Vista Drive Ste. 158 Bldg. 10 Gilbert, AZ 85296 Tel: (480) 782-5005

Patient Instructions for Capsule Endoscopy

Patient	Name:
Exami	nation Date:(***This test to be performed in the Endoscopy Center.***)
To ens	ure the best results for your capsule endoscopy procedure follow these instructions carefully and stely.
1.	Ay Before Capsule Procedure: Start a clear liquid diet after lunch (no later than 1:00 PM) Do not eat or drink anything except for necessary medications with a sip of water 12 hours before your scheduled appointment time.
The Da	ay of the Capsule Endoscopy:
	Do not take <u>any</u> medication 2 hours before your scheduled appointment
	Do not apply any body lotion or powder to your abdomen.
3.	Wear loose fitting, two piece clothing. Your upper clothing should be opaque, not sheer. You may wish to
	bring a belt to hold the data recorder in place.
4.	Arrive for you appointment at the scheduled Date/time:
After S	Swallowing the Capsule: The capsule endoscopy procedure will last approximately 8 – 9 hours. Contact the Endoscopy Center at 480-855-2039 immediately if you suffer from any abdominal pain, nausea or vomiting during the procedure.
1.	You may drink colorless liquids starting two hours (at) after swallowing the capsule.
	You may have a light snack (soup, sandwich, salad) 4 hours after swallowing the capsule.
3.	Check the blue flashing DataRecorder light every 15 minutes to be sure it is blinking twice per second. If it stops blinking or changes color, note the time and contact the endoscopy center.
4.	Use the Capsule Endoscopy Event Form to note the time of any event such as eating, drinking or a change
	in your activity. Return the completed Event Form to the Endoscopy Center at the time you return the
	equipment.
5.	Avoid strong electromagnetic fields such as MRI devices or ham radios after swallowing the capsule and until you pass it in a bowel movement.
	Do not disconnect the equipment or completely remove the belt at any time during the procedure.
	Treat the DataRecorder carefully. Avoid sudden movements and banging of the DataRecorder.
	Avoid direct exposure to bright sunlight.
9.	Return to the Endoscopy Center at PM today for removal of the DataRecorder.

If you are scheduled for a MRI and you are not sure if the capsule has passed out of your system contact your Dr's office for evaluation and possible scheduling of an abdominal X-ray to determine the capsule's location.

If you are not sure that the capsule has passed out of your body and you develop unexplained nausea, abdominal

pain or vomiting, contact your doctor for evaluation.